

PATENT

IN THE UNITED STATES PATENT AND TRADMARK OFFICE

licants: Ronny van't Oever, et al.

Serial No.: 09/874,493

Filed: June 5th, 2001

Patent No.: 6,630,990

Issued: October 7th, 2003

Title: OPTICAL METHOD AND APPARATUS FOR RED BLOOD CELL DIFFERENTIATION ON CELL-BY-CELL BASIS, AND SIMULTANEOUS ANAYSIS OF WHITE **BLOOD CELL DIFFERENTIATION**

Case No.: 6811.US.01

Group Art No.: 2876

Examiner: Hess, Daniel A

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

> **Certificate of Correction Branch Commissioner for Patents** P.O. Box 1450 Alexandria, VA 22313-1450

Date of Deposit: October 25, 2008

Sherell Brownlee-Davis

TRANSMITTAL LETTER

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

NOV 0 2 2005 of Correction

Dear Sir:

Enclosed herewith for the patent application identified above entitled OPTICAL METHOD AND APPARATUS FOR RED BLOOD CELL DIFFERENTIATION ON CELL-BY-CELL BASIS, AND SIMULTANEOUS ANAYSIS OF WHITE BLOOD CELL DIFFERENTIATION are the following:

- 1. Request for Certificate of Correction;
- 2. Certificate of Correction (PTO 1050), in duplicate; and
- Return Receipt Postcard

The Commissioner is herby authorized to charge any additional Filing Fees required under 37 CFR §1.16, as well as any patent application processing fees under 37 CFR §1.17 associated with this communication for which full payment had not been tendered, to Deposit Account No. 01-0025.

Respectfully submitted, Respectfully submittee, Ronny van't Oever, et al.

ABBOTT LABORATORIES

Customer Number 23492

Telephone: (847) 935-4314 Facsimile: (847) 938-2623

Gabryleda Ferrari-Dileo Registration No. 55,174 Attorney for Applicants





IN THE UNITED STATES PATENT AND TRADMARK OFFICE

pp icants: Ronny van't Oever, et al.

Serial No.: 09/874,493

Filed: June 5th, 2001

Patent No.: 6,630,990

Issued: October 7th, 2003

Title: OPTICAL METHOD AND APPARATUS FOR RED BLOOD CELL DIFFERENTIATION ON CELL-BY-CELL BASIS, AND SIMULTANEOUS ANAYSIS OF WHITE

BLOOD CELL DIFFERENTIATION

Case No.: 6811.US.01

Group Art No.: 2876

Examiner: Hess, Daniel A

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria. VA 22313-1450

Date of Deposit: Uctober 25th, 2005

Sherell Brownlee-Davis

Doto!

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Upon review of the final printed copies of the above-identified patent and comparison with the application file, Applicants have identified errors in the patent as printed. Accordingly, Applicants request that a Certificate of Correction be issued pursuant to 35 U.S.C. 254 for this patent as set forth on the attached Form PTO 1050, identifying errors by column and line from the patent. Since the errors appear to be due to the fault of the Patent and Trademark Office, Applicants believe no fee is due.

Respectfully submitted, Ronny van't Oever, et al.

ABBOTT LABORATORIES

Customer Number 23492 Telephone: (847) 935-4314 Facsimile: (847) 938-2623

Gabryleda Ferrari-Dileo Registration No. 55,174 Attorney for Applicants



PTO/SB/44 (04-05)
Approved for use through 04/30/2007. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	1	٥f	-1

PATENT NO.

:6630990

APPLICATION NO.: 09/874,493

ISSUE DATE

:October 7, 2003

INVENTOR(S)

: Ronny van't Oever, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 15, line 33

replace "a red blood cell isolated from said sample" with --red blood cells of said sample in single file--.

Col. 16, line 29

replace "a red blood cell isolated form said sample through a light" with --red blood cells of said sample in single file through a light a light--.

MAILING ADDRESS OF SENDER (Please do not use customer number below): 6630990

Robert Deberardine Abbott Laboratories Dept. 0377/AP6A-1 100 Abbott Park Road Abbott Park, IL 60064-6008

2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.

:6630990

APPLICATION NO.: 09/874.493

ISSUE DATE

: October 7, 2003

INVENTOR(S)

: Ronny van't Oever, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 15, line 33

replace "a red blood cell isolated from said sample" with --red blood cells of said sample in single file--.

Col. 16, line 29

replace "a red blood cell isolated form said sample through a light" with --red blood cells of said sample in single file through a light a light--.

MAILING ADDRESS OF SENDER (Please do not use customer number below): 6630990

Robert Deberardine Abbott Laboratories Dept. 0377/AP6A-1 100 Abbott Park Road Abbott Park, IL 60064-6008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DBA

Paper No.:

DATE

: 11/15/05

TO SPE OF : ART UNIT 2877

SUBJECT: Request for Certificate of Correction on Patent No.: 6630990

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location 7580, Certificates of Correction Branch – South Tower – 9A22 If response is for an IFW, return to employee (named below) via PUBSCofC Team in MADRAS.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Note: See pre-Amend A #2

Thank You For Your Assistance

Angela Green
Certificates of Correction Branch *Tel. No. 703-*305-9380 ext. 123

The request for issuing the above-identified correction(s) is hereby: Note your decision on the appropriate box.			
☐ Approved	All changes apply.		
☐ Approved in Part	Specify below which changes do not apply.		
Denied	State the reasons for denial below.		
Comments:			
the dains present by the ColC.	are different from the claims issue		
in that the scope of the claims w	· ~		

in that the stope of the claims would be suffed. There is nothing in the record that indicated that the claims, in the pre-and were ever examined. The applicant hand file as a Reissue application

Gregory J. Coutry, Jr. Supervisory Patent Examiner

287/.

S DEPARTMENT OF COMMERCE Patent and Trademark Off.

PTOL-306 (REV. 7/03)